

# containers in CA+PET

containers in CA+PET

> containers in cardboard (CA) + polyethylene terephthalate (PET)



Compac s.r.l.  
Via Spallanzani 8/a  
42024 Castelnovo di Sotto - RE - Italy  
Tel. +39 0522.688.509  
Fax +39 0522.688.552  
[www.compac.it](http://www.compac.it) - [info@compac.it](mailto:info@compac.it)

- Containers in PLA
- Containers in APET
- Containers in CA + PLA
- Containers in CELLULOSE (PULP)
- Containers in CA + PET
- Containers in PP
- Containers in CPET
- Containers in ALUMINIUM (ALC/ALBN)

**CP**  
**COMPAC**  
P A C K A G I N G

# containers in CA+PET

## > containers in cardboard (CA) + polyethylene terephthalate (PET)

Our cardboard trays are produced from pure cellulose fiber coated with polyethylene terephthalate (PET) to make them waterproof and greaseproof.

The containers in CA+PET are thermo-sealable and are a paramount element of the COMPAC SYSTEM together with the tray sealers and the sealing film reels.

Are available containers generic printing instructions for use "multilingual" in Italian/English/French/German/Spanish. On request the containers can be customized (brands and logos, texts, colours).

RECYCLABLE CONTAINERS WITH PAPER – ATICELCA® 501 – level B



## Technical properties of our containers ( )

- good mechanical properties (abrasion resistance, flexural strength, etc ... );
- high elasticity which make them safe from breakage during handling and transport;
- excellent resistance to aggressive chemical agents, to organic and inorganic substances (including oil, fat, etc ; ) and an excellent physiological behaviour (odourless, flavourless);
- suitable for reheating in microwave ovens or traditional ovens up to +200° C for 60 minutes;
- suitable for frozen food down to a minimum temperature of -40° C.

To identify and facilitate material selective separation, our containers in cardboard (CA+PET) are marked with the following logo:



They belong to the Compac line *Rline*

If collected, the containers can be recycled or incinerated.

Incineration would only produce usual compounds produced by paper and hydrocarbons combustion.



V45PC 500ml



V45GC 750ml



V45MC 750ml

Item	Series	(mm) LxBxH	ml	Pack x Pieces	L	B	H	
V45PC	P2	137 x 122 x 45	500	4 x 100	290	260	295	36
V33GC	G	192 x 140 x 33	500	4 x 100	400	300	300	24
V45GC	G	192 x 140 x 45	750	4 x 75	400	300	300	24
V75GC	G	192 x 140 x 75	1250	4 x 50	400	300	300	24
VS45HC	H	214 x 142 x 45	950	4 x 150	400	300	450	16
V25LBC	L	232 x 192 x 25	/	2 x 125	400	280	250	24
V45LC	L	232 x 192 x 45	1500	2 x 100	400	400	290	24
V20MBC	M	262 x 192 x 20	/	2 x 125	400	395	250	24
V45MC	M	262 x 192 x 45	1750	2 x 100	400	400	290	24
V45XC	X	322 x 192 x 45	2250	2 x 100	400	400	340	12
V50ZCB	Z	325 x 265 x 50	3000	2 x 95	593	398	353	12

No responsibility is implied or may be linked to this catalog.

All technical data does not have scientific value and are reported only for the purpose technical / application of the product.

Technological suitability: the product must always be verified by the user as regards the technological suitability referring to the production process, the packaging environment and the food to be packaged.

Compac s.r.l.  
Via Spallanzani 8/a  
42024 Castelnovo di Sotto - RE - Italy  
Tel. +39 0522.688.509  
Fax +39 0522.688.552  
www.compac.it - info@compac.it

COMPANY WITH  
SAFETY MANAGEMENT SYSTEM  
CERTIFIED BY DNV GL  
= ISO 45001 =

COMPANY WITH  
ENVIRONMENTAL SYSTEM  
CERTIFIED BY DNV GL  
= ISO 14001 =

COMPANY WITH FOOD  
SAFETY SYSTEM  
CERTIFIED BY DNV GL  
= ISO 22000 =

COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV GL  
= ISO 9001 =

**CP**  
**COMPAC**  
PACKAGING