

containers in CA+PET

containers in CA+PET

> containers in cardboard (CA) + polyethylene terephthalate (PET)



Compac s.r.l.
Via Spallanzani 8/a
42024 Castelnovo di Sotto - RE - Italy
Tel. +39 0522.688.509 / +39 0522.683.873
www.compac.it - info@compac.it

- Containers in PLA
- Containers in APET
- Containers in CA+PP
- Containers in CA + PLA
- Containers in POLPA
- Containers in CA + PET
- Containers in PP
- Containers in CPET
- Containers in ALUMINIUM (ALC/ALbn)

CP
COMPAC
P A C K A G I N G

containers in CA+PET

> containers in cardboard (CA) + polyethylene terephthalate (PET)

Our cardboard trays are produced from pure cellulose fiber coated with polyethylene terephthalate (PET) to make them waterproof and greaseproof.

The containers in CA+PET are thermo-sealable and are a paramount element of the COMPAC SYSTEM together with the tray sealers and the sealing film reels.

Are available containers generic printing instructions for use "multilingual" in Italian/English/French/German/Spanish. On request the containers can be customized (brands and logos, texts, colours).

RECYCLABLE CONTAINERS WITH PAPER – ATICELCA® 501 – level B



Technical properties of our containers ()

- good mechanical properties (abrasion resistance, flexural strength, etc ...);
- high elasticity which make them safe from breakage during handling and transport;
- excellent resistance to aggressive chemical agents, to organic and inorganic substances (including oil, fat, etc ;) and an excellent physiological behaviour (odourless, flavourless);
- suitable for reheating in microwave ovens or traditional ovens up to +200° C for 60 minutes;
- suitable for cooking by the consumer only if subsequent to the heat-sealing of the package with READY TO COOK food in a microwave ovens or traditional ovens up to + 200 °C for 60 minutes;
- suitable for frozen food down to a minimum temperature of -40° C.

To identify and facilitate material selective separation, our containers in cardboard (CA+PET) are marked with the following logo:

They belong to the Compac line

If collected, the containers can be recycled or incinerated.

Incineration would only produce usual compounds produced by paper and hydrocarbons combustion.



V45PC 500ml



V45GC 750ml



V45MC 750ml

| Item | Series | (mm) LxBxH | ml | Pack x Pieces | L | B | H | |
|---------|--------|----------------|------|------------------|-----|-----|-----|----|
| V45PC | P2 | 137 x 122 x 45 | 500 | 4 x 100 | 290 | 260 | 295 | 36 |
| V33GC | G | 192 x 140 x 33 | 500 | 4 x 100 | 400 | 300 | 300 | 24 |
| V45GC | G | 192 x 140 x 45 | 750 | 4 x 75 | 400 | 300 | 300 | 24 |
| V75GC | G | 192 x 140 x 75 | 1250 | 4 x 50 | 400 | 300 | 300 | 24 |
| VS45HC | H | 214 x 142 x 45 | 950 | 4 x 150 | 400 | 300 | 450 | 16 |
| VR25LC | L | 232 x 192 x 25 | / | 2 x 125 | 400 | 280 | 250 | 24 |
| V45LC | L | 232 x 192 x 45 | 1500 | 2 x 100 | 400 | 400 | 290 | 24 |
| VR20MC | M | 262 x 192 x 20 | / | 2 x 125 | 400 | 395 | 250 | 24 |
| V45MC | M | 262 x 192 x 45 | 1750 | 2 x 100 | 400 | 400 | 290 | 24 |
| V45XC | X | 322 x 192 x 45 | 2250 | 2 x 100 | 400 | 400 | 340 | 12 |
| V48TCB* | T | 260 x 160 x 48 | 1350 | 4 x 95 | 593 | 353 | 398 | 12 |
| V50ZCB | Z | 325 x 265 x 50 | 3000 | 2 x 95 | 593 | 398 | 353 | 12 |

* on request

No responsibility is implied or may be linked to this catalog.

All technical data does not have scientific value and are reported only for the purpose technical / application of the product.

Technological suitability: the product must always be verified by the user as regards the technological suitability referring to the production process, the packaging environment and the food to be packaged.

Compac s.r.l.
Via Spallanzani 8/a
42024 Castelnovo di Sotto - RE - Italy
Tel. +39 0522.688.509 / +39 0522.683.873
www.compac.it - info@compac.it



COMPANY WITH
FOOD SAFETY SYSTEM
CERTIFIED BY DNV
ISO 22000

COMPANY WITH
MANAGEMENT SYSTEM
CERTIFIED BY DNV
ISO 9001 • ISO 14001
ISO 45001

COMPAC
P A C K A G I N G