

containers in CPET

> containers in crystallized polyethylene terephthalate (CPET)

containers in CPET



Compac s.r.l.
Via Spallanzani 8/a
42024 Castelnovo di Sotto - RE - Italy
Tel. +39 0522.688.509 / +39 0522.683.873
www.compac.it - info@compac.it

- Containers in PLA
- Containers in APET
- Containers in CA+PP
- Containers in CA + PLA
- Containers in POLPA
- Containers in CA + PET
- Containers in PP
- Containers in CPET
- Containers in ALUMINIUM (ALC/ALBN)

COMPAC
PACKAGING



containers in CPET

> containers in crystallized polyethylene terephthalate (CPET)

Our containers in CPET (crystallized polyethylene terephthalate) are used mainly for reheating ready meals. The trays in CPET are suitable for packing food products that require to be reheated in traditional ovens or microwave ovens. The CPET trays are thermo-sealable and are a paramount element of the COMPAC SYSTEM together with the tray sealers and the sealing film reels. The CPET trays are suitable for packing food in modified atmosphere (MAP). The trays are available in white and black.

Technical properties of our containers (🍽️)

- suitable for hot-filling or pasteurisation;
- excellent resistance to aggressive chemical agents, to organic and inorganic substances (including oil, fat, etc;) and an excellent physiological behaviour (odourless, flavourless);
- high elasticity which make them safe from breakage during handling and transport;
- the ribs on the side walls ensure greater strength, impact resistance and flexibility (the containers come back to their original shape after impact);
- stacking helps their sorting and use, even in automatic packaging lines;
- high barrier to food grade gases;
- suitable for reheating in microwave ovens or traditional ovens up to +180° C for 30 minutes;
- suitable for cooking by the consumer only if subsequent to the heat-sealing of the package with READY TO COOK food in a microwave ovens or traditional ovens up to + 180 °C for 30 minutes;
- the containers have a rapid heat dispersion and can go straight away from the oven to the table;
- suitable for frozen food down to a minimum temperature of -40° C.
- can go straight away from freezer to oven.

To identify and facilitate material selective separation, our containers in CPET are marked with the following logo:  They belong to the Compac line  When collected, the containers can be recycled or incinerated.







D65P 750ml



DB50L 900/560ml



D38M 1500ml

Item	Series	(mm) LxWxH	ml	Pack x Pieces				
D45P	P2	120 x 136 x 45	500	4 x 70	400	300	260	24
D65P	P2	120 x 136 x 65	750	4 x 60	400	300	260	24
D38G	G	190 x 136 x 38	750	4 x 75	400	400	290	18
D50G	G	190 x 136 x 50	1000	4 x 75	400	400	290	18
DT50G	G	190 x 136 x 50	400 / 400	4 x 75	400	400	290	18
D70G	G	190 x 136 x 70	1250	4 x 60	400	400	290	18
D38L	L	230 x 190 x 38	1200	2 x 75	400	400	290	18
D50L	L	230 x 190 x 50	1600	2 x 75	400	400	290	18
DB50L	L	230 x 190 x 50	900 / 560	2 x 75	400	400	290	18
D38M	M	260 x 190 x 38	1500	2 x 75	400	400	290	18
D50M	M	260 x 190 x 50	2000	2 x 75	400	400	290	18
D65M	M	260 x 190 x 65	2400	2 x 75	400	400	290	18

No responsibility is implied or may be linked to this catalog.

All technical data does not have scientific value and are reported only for the purpose technical / application of the product.

Technological suitability: the product must always be verified by the user as regards the technological suitability referring to the production process, the packaging environment and the food to be packaged.

